Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	216	tamper with resistant with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:09
S2	41	(tamper with resistant with processor) same (($2crypt$3 $2cypher$3 $2cipher$3) with processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:10
S3	15	(tamper with resistant with processor) same (($2crypt$3 $2cypher$3 $2cipher$3) with processor) same (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) with (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:26
S4	0	("US4731842A").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S5	0	("US-4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S6	2	("4731842").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:19
S7	92	(tamper with resistant with processor) and (($2crypt$3 $2cypher$3 $2cipher$3) with processor) and (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) with (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22
S8	77	S7 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22

S9	46	(tamper near3 resistant near3 processor) and (($2crypt$3 $2cypher$3 $2cipher$3) near3 processor) and (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) near3 (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:24
S10	39	S9 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:22
S11	342	((tamper near3 resistant near3 processor) (secure near3 processor)) and (($2crypt$3 $2cypher$3 $2cipher$3) near3 processor) and (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) near3 (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 16:32
S12	2	("5,892,900").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 16:32
S13	134	((tamper near3 resistant near3 processor) (secure near3 processor)) same (($2crypt$3 $2cypher$3 $2cipher$3) with processor) same (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) with (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:27
S14	87	((tamper near3 resistant near3 processor) (secure near3 processor)) with (($2crypt$3 $2cypher$3 $2cipher$3) with processor) with (($2crypt$3 $2cipher$3 $2cypher$3 private secur$3) with (communication channel link connect$3 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:49
S15	87	((tamper resistant processor secure processor $2crypt$3 $2cypher$3 $2cipher$3 processor $2crypt$3 $2cipher$3 $2cypher$3 private secur$3 communication channel link connect$3 line)) and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/11 17:57
S16	2	("5214702").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/11 17:57

| S17 | 208 | 713/175.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/18 07:03 |
| S18 | 991 | 713/193.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/18 07:03 |